



BRANDON RECTANGULAR FIRE PIT

T TECO-BLOC WARRANTY APPLIES TO BRANDON STONES
THE WARRANTY **DOES NOT APPLY** TO ACCESSORY KIT

NOTES


Sold as a kit not pre-assembled.
Raffinato 14" x 28" caps included.

Techo-Bloc is not responsible for any damages to the firepit if it is not installed with a sleeve or accessory kit. The firepit is not designed for large fires. Fire should be contained at least 6" away from the firepit wall blocks. Overheating could lead to heat damage to the firepit components.

*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another. See 111 for more technical information.

Specifications per pallet	Imperial	Metric
Cubing	58 units	58 units
Approx. Weight	2 660 lbs	1 207 kg
Overall Height	19 15/16 in	507 mm
Overall Width	44 1/2 in	1 130 mm
Overall Length	57 3/4 in	1 467 mm
Brandon 90 mm units	20 C units	
Brandon 90 mm corner units	30 units	
Cap units	8 units	


Insert



Gas insert kits available and sold separately (Natural Gas or Liquid Propane).

The kit includes: Brass Burner (160K BTU), Aluminum Plate, Ignition control (push button), collars, vents, aluminum cover and black lava rock.

Gas Insert



Chestnut Brown




FIRE PIT
Chestnut
Brown



CAP
Chestnut
Brown

Shale Grey




FIRE PIT
Shale Grey




CAP
Shale Grey

INSTALLATION GUIDE


BRANDON RECTANGLE, FIRE PIT (KIT)




TOP



ELEVATION A



ELEVATION B



SECTION 1-1

- A. STEEL BOX INSERT
- B. CLEAN STONE $\frac{3}{4}''$ (20 mm), 4" (100 mm) THICK
- C. RAFFINATO CAP 60 mm (PRE-CUT)
- D. BRANDON 90 mm BLOCK
- E. TECO-BLOC PAVERS OR SLABS
- F. SETTING BED 1" (25 mm)
- G. COMPACTED GRANULAR BASE 0- $\frac{3}{4}''$ (0-20 mm)
- H. BRANDON 90 mm CORNER BLOCK

QUANTITY OF MATERIALS REQUIRED

- RAFFINATO CAP 60 mm: 8
- Brandon 90 mm block **C**: 20
- Brandon 90 mm corner block: 30

NOTE: Secure the blocks using a heat resistant concrete adhesive. The installer must ensure that the installation and use of the fire pit comply with local regulations and code requirements.

Consult our Installation Guide in our website for a detail step by step installation.

PLEASE REFER TO P.4 FOR THE CORRECT USE AND LIMITATIONS OF PROVIDED TECHNICAL INFORMATION.



BRANDON SQUARE FIRE PIT

T TECO-BLOC WARRANTY APPLIES TO BRANDON STONES
THE WARRANTY **DOES NOT APPLY** TO ACCESSORY KIT

NOTES


Sold as a kit not pre-assembled.
Raffinato 14" x 28" caps included.

Techo-Bloc is not responsible for any damages to the firepit if it is not installed with a sleeve or accessory kit. The firepit is not designed for large fires. Fire should be contained at least 6" away from the firepit wall blocks. Overheating could lead to heat damage to the firepit components.

*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another. See 113 for more technical information.

Specifications per pallet	Imperial	Metric
Cubing	66 units	66 units
Approx. Weight	2 454 lbs	1 113 kg
Overall Height	19 15/16 in	507 mm
Overall Width	53 1/2 in	1 359 mm
Overall Length	53 1/2 in	1 359 mm
Brandon 90 mm units	20 A units	20 B units
Brandon 90 mm corner units	20 units	
Cap units	6 units	


Insert



Gas insert kits available and sold separately (Natural Gas or Liquid Propane).

The kit includes: Brass Burner (240K BTU), Aluminum Plate, Ignition control (push button), collars, vents, aluminum cover and black lava rock.

Gas Insert



Chestnut Brown



FIRE PIT
Chestnut
Brown



CAP
Chestnut
Brown

Shale Grey





FIRE PIT
Shale Grey



CAP
Shale Grey


INSTALLATION GUIDE

BRANDON SQUARE, FIRE PIT (KIT)



ELEVATION A

TOP



SECTION 1-1

- A. STEEL BOX INSERT
- B. CLEAN STONE $\frac{3}{4}$ " (20 mm), 4" (100 mm) THICK
- C. RAFFINATO CAP 60 mm (PRE-CUT)
- D. BRANDON 90 mm BLOCK
- E. TECO-BLOC PAVERS OR SLABS
- F. SETTING BED 1" (25 mm)
- G. COMPACTED GRANULAR BASE 0- $\frac{3}{4}$ " (0-20 mm)
- H. BRANDON 90 mm CORNER BLOCK

QUANTITY OF MATERIALS REQUIRED

- RAFFINATO CAP 60 mm: 6
- Brandon 90 mm block: 20 **A**, 20 **B**
- Brandon 90 mm corner block: 20

NOTE: Secure the blocks using a heat resistant concrete adhesive. The installer must ensure that the installation and use of the fire pit comply with local regulations and code requirements.

Consult our Installation Guide in our website for a detail step by step installation.

PLEASE REFER TO P.4 FOR THE CORRECT USE AND LIMITATIONS OF PROVIDED TECHNICAL INFORMATION.