

# YORK PILLAR CAPS

DESCRIPTION: Cap double-sided TEXTURE: Klean-Bloc Brushed Limestone surface with chiseled edges

### PALLET SIDE VIEW - 28" AND 32"





### **COMPATIBLE PILLARS -**YORK 28" See page 243 for product compatibility.

## **COMPATIBLE PILLAR -**

YORK 32″ See page 243 for product compatibility.

#### Klean-Bloc technology K

See page 24.

## NOTES

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

#### To acheive a natural appearance, stone dimension can vary up to $\frac{1}{4}$ ".

\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

Specifications per pallet			Imperial		I	Metric	
28″	Cubing		6 uni	6 units		6 units	
28″x28″	Approx. Weight		1 676	1 676 lbs		760 kg	
	Number of rows		6				
$\sim$		Unit dimer	nsions	in	mm		Units/pallet
	D H A	F	leight	3 ½	89		6 units
	the second second	[	Depth	28 ¾	730	1	
	RELIEVEN	ALL REAL	ength	28 ¾	730	I	

Spe	Specifications per pallet			N	Netric
32 ″	Cubing	6	6 units		units
32 ″x32 ″	Approx. Weight		2 083 lbs		945 kg
(1)	Number of rows				
		Unit dimensio	ns ii	n mm	Units/pallet
	дн А	Heig	ht 3	1⁄2 89	6 units
	and the second	Dep	th 3	2 813	
	AN INCOMENTATION OF	Leng	th 3	2 813	





# YORK

DESCRIPTION: Wall caps double-sided TEXTURE: Klean-Bloc Brushed Limestone surface with chiseled edges

### PALLET OVERVIEW -

## PALLET OVERVIEW - 14"×48"

A	
	=
	=
	=
	=



### COMPATIBLE WALLS

See page 243 for product compatibility.



**NOTES** Palletized upright.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

To acheive a natural appearance, stone dimension can vary up to  $\frac{1}{4}$ ".

### Metric measures are approximate.

\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

Sp	ecifica	ations per pallet		Imp	perial	Met	ric	
32 "	<sup>48</sup>	Cubing		48 lin. ft		14.6	14.63 lin. m	
14″×	14"×48" -   X   V   O	Approx. Weight		1 597 lbs		724	724 kg	
×16″	N	lumber of rows		1				
14	Linear coverage per p		oalett 48 lin. ft		14.63 lin. m			
	<		Unit dimensio	ns	in	mm	Units/pallet	
	DH	A	Heig	ht	2 1⁄4	57	6 units	
	and a lot of		Dep	th	14	356		
and a	aun	AN CONTRACT	Leng	th	16	406		
B*			Heig	ht	2 1⁄4	57	6 units	
Sile			Dep		14	356		
100	CONSISTENCE STORE		Leng	th	32	813		
C								
C			Heig		2 1⁄4	57	6 units	
			Dep		14	356		
	No.	MANASAUS	Leng		48	1 219		
Sp	ecifica	ations per pallet	In	nper	ial	Metri	c	
48″	Cubir	ng	4	48 lin. ft		14.63 lin. m		
14″×48″	Appr	ox. Weight	1	582 lbs		718	g	
,	Num	ber of rows	1					
	Linea	r coverage per unit	4	lin. ft		1.22	lin. m	
/	<		Unit dimensio	ns	in	mm	Units/pallet	
	DH	A	Heig	ht	2 1⁄4	57	12 units	
			Dep	th	14	356		
	Para	NEWSCON	Leng	th	48	1 219		

36.24

. . . .





## YORK 24"×36"

DESCRIPTION: Counter top TEXTURE: Klean-Bloc Brushed Limestone surface with chiseled edges on the four sides





Klean-Bloc technology See page 24.

**NOTES** Palletized upright.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

To acheive a natural appearance, stone dimension can vary up to  ${\ensuremath{\mathcal{Y}}}^{\prime\prime}_{\prime}.$ 

#### Metric measures are approximate.

\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

Spe	Specifications per pallet			Imperial		c	
36 ″	Cubing Approx. Weight		16 units		16 u	16 units	
24″x (			2 595 lbs		1 17	1 177 kg	
2	Number of rows		1				
		Unit dimens	sions	in	mm	Units/pallet	
	р А	H	eight	2 1⁄4	57	16 units	
		D	epth	24	610		
			ngth	36	914		
	THAT IS A VECTOR AND A DECIDENT	ALCONT NO					

