

Contents

- 02 One Trusted Source
- 04 Enhanced Technology
- 05 Permeable Pavements
- 06 Hardscape Collections

o8 Inspiration

- 10 Scale, Texture & Colour
- 12 Patterns & Designs
- 18 Gallery

34 Slabs

- 36 Rialto 50mm
- 38 Monterey
- 40 Nueva® Slab 60mm
- 42 Nueva® XL Slab
- 44 Molina® 60mm

46 Pavers

- 48 Colonnade
- 49 Ridgefield Plus
- 50 Ridgefield Smooth
- 52 Market Paver
- 54 Villanova
- 55 Enviro Midori
- 56 Nueva® Paver
- 58 Rialto 80mm
- 60 Molina® 80mm
- 62 Eterna

| 64 Copings, Curbs & Steps

- 66 Oasis & Oasis Bullnose
- 67 Cassina
- 68 Fronterra Curb
- 69 Nueva® Step

70 Walls

- 72 Nueva® 150 Wall
- 74 Nueva® 75 Wall
- 76 Modan
- 78 Castlerok 2
- 80 Ortana
- 82 Gardenia Linear
- 83 Modeco One
- 84 Proterra™

88 Dormant Products

90 Planning

- 92 Product Matrix
- 94 Laying Patterns
- 97 ONESand
- 98 Building Walls
- 99 Choosing a Contractor
- 100 Guarantee & Care Information
- 102 Packaging Specifications
- 106 Online Experience
- 107 ICI Landscape & Masonry

To Our Valued Customers,

Long before we print our product guides for each fresh, new landscaping season, we gaze intently into our crystal ball and try to envision what the coming year will bring. Of course, much of that is built on our past successes with you, and as we all know, the last several months have been very challenging times for all of us. Covid-19 has affected our lives both personally and professionally with necessary safety restrictions to follow.


This year, we have implemented a **Dormant Products** strategy in order to meet the needs of our customers for the most in-demand products and colours. Within the main products section of this product guide, we've displayed our active colours that will be available on a regular basis throughout the season. Within our **Dormant Products** section (pages 88-89), you will find a full listing of products and colours that are temporarily gone, but certainly not forgotten.

We are hopeful that stability returns to our industry, supply chain, and life in general soon. When it does, we will re-evaluate demand for these products and look at bringing them back into regular rotation.

Sincerely,

The Oaks Landscape Products Team





Your ONE Trusted Source

Architecture plays a very important role in the evolution of society. I'm proud to say our company is constantly evolving. Brampton Brick Limited, collectively, Brampton Brick and Oaks Landscape Products (Oaks) brands; has forged a reputation as an integrated masonry and hardscape products manufacturer.

To be a single source for quality, durability and long-lasting style, we focus on developing products that work well together. We take into consideration the colours, textures, sizes and shapes that have a significant impact on how space is perceived. Our story began in 1871 when Packham Brick Works opened on the east side of Brampton Ontario to produce pressed clay bricks for the local market. Fast-forward 149 years, and we've expanded across central and eastern Canada, into the US Midwest and broadened our product lines from our humble clay beginnings to include concrete masonry and landscape products.

It's the trust our customers place in us that keeps us focused on our goal; to lead the way in innovation, affordability and lifetime satisfaction. We are devoted to engineering masonry and landscaping materials that stimulate an instant response. When you see homes, driveways, backyard living spaces, commercial buildings or beautifully landscaped public spaces; you see Brampton Brick products.

When you purchase Oaks Landscape Products and Brampton Brick masonry products, you make an investment in longevity, in stunning aesthetics and in us. That's an investment that we take seriously: Our legacy runs deeper than brick, and we're motivated to strive to do more, to do better, to evolve along with the needs of our clients and industry trends. From our state-of-the-art production facilities, to quality control, distribution and customer service, we ensure our products are made to last. Our products have your dream spaces covered both vertically and horizontally, from curbside to poolside.

Thank you for making us your **ONE Trusted Source**.

Jeffrey G. Kerbel,
President and CEO,
Brampton Brick Limited





Enhanced Technology

ŵ Elite**Finish**™

EliteFinish™ is an advanced manufacturing process that delivers richer, more vibrant colour and a harder wearing, more durable and smoother textured surface.

The surface of our EliteFinish™ products is a specially engineered layer of finely-ground, durable aggregates combined with rich colour and concentrated cement. The paver foundation uses coarser stone to ensure long term performance in application. The resulting product delivers an enhanced finish and greater structural integrity.

Products with EliteFinish™ include:

Molina® 60mm Page 44
Market Paver Page 52
Molina® 80mm Page 60
Eterna Page 62




ColorBold[™] is an integral treatment employed during manufacturing that provides a new level of colour longevity and stain resistance.

ColorBold^m is a proprietary process where supplemental ingredients penetrate the surface of the product to become an integral part of the unit. Enhanced colour depth, extended colour durability, improved resistance to stains and acidic materials, as well as improved freeze-thaw capability due to decreased moisture absorption are all benefits delivered with products featuring ColorBold m .

Other colour enhancement products are sealers applied post production, after the concrete has been thoroughly cured; the chemical can only penetrate whatever surface voids are present, with the balance being left as a film on the paver surface.

Products with ColorBold™ include:

Molina® 60mm Page 44 Market Paver Page 52 Molina® 80mm Page 60





• Why Go Permeable?

Permeable pavement systems are uniquely designed to allow increased drainage between the joints into the ground below.


Benefits of permeable pavement systems:

- Eliminates puddles and surface water runoff
- Reduces erosion
- Improves water quality by filtering surface water through clear aggregate
 - Reduces burden on municipal storm water systems
- Reduces need for snow removal & ice build up in winter

Oaks Permeable pavers include:

Enviro Midori Page 55


Permeable Pavement System:



collections ardscape

Discover new inspiration through our four distinguished collections, where you'll find a selection of recommended products, carefully curated into the best possible *product arrangements* based on our design 5 axes. Choose products from the same collection for a unified look, or mix & match by combining products across different collections for design themes and accents based on your own unique style and preferences.

The Nueva® Collection



Modern design calls for clean lines and a well-coordinated colour palette. The Nueva Collection of hardscape products is the next generation of sleek, low-profile design. This diverse combination of contemporary products offers flush finishes and smooth faces for any modern-looking project.

In this Collection:

Nueva® Paver

Enviro Midori

Ridgefield Smooth

Nueva® Slab

Nueva® XL Slab

Nueva® Step

Oasis

Cassina

Nueva® 150 & 75 Walls

Modan

Proterra[™] Smooth

The Eterna Collection






Our Eterna Collection features hardscape products that not only boast sleek designs, but also offer maximum durability.

These products are manufactured with technologies such as EliteFinish™ or ColorBold™ — which provide deeper, more vibrant colours along with increased durability and stain resistance — for top-tier functionality. Explore our most advanced pavers to ensure high-quality performance.

In this Collection:

Eterna Molina® Market Paver



The Rialto Collection


The Rialto Collection has a unique ability to inspire. Any combination of these variably textured products can create new life in an old space. With textures ranging from subtle to bold, and coordinated, soulful earth-toned colours, these products are designed to harmonize perfectly.

In this Collection:

Rialto
Villanova
Ridgefield Plus
Monterey
Aria Step
Fronterra Curb



The Legacy Collection



Explore a handful of our most established products. The Legacy Collection features natural shades and diverse colour palettes. Combine these products to give your project the memorable charm you have been searching for.

In this Collection:

Colonnade Castlerok 2 Ortana Gardenia Linear Proterra™ Split Modeco One

5 axes

All of our well-integrated product collections are built around different sets of design characteristics, yet revolve around the following five common axes:

1 Simplicity

Whether you are a homeowner, a designer or a contractor, our product collections make it simple to design, quote and install a superb landscape plan, every time.

(2) Continuity

Every successful landscape plan pivots around continuity. The unity between front and back yards, between horizontal and vertical surfaces, and even from masonry to landscape is what truly pulls an outdoor design theme together.

(3) Harmony

The affinity of colours, textures, surface finishes, product sizes and scale also contribute to that sense of unity and continuity. We've carefully developed a colour palette and product design theme perfectly harmonized to bring peace of mind, knowing that all the elements of your outdoor design fit together.

4 Unity

Our pavers, slabs, copings, steps, and walls are truly stand-out solo performers, but are at their best when they are used together in unison.

(5) Modularity

The sizes and scale of our products were developed for mixing and matching different products within each collection, or with other Oaks products for expanded design options.





Design at *play*.

Remember that feeling when you first fell in love with your home? Oh, the possibilities that lay ahead! We want you to relive that feeling, and have fun as you play with colour, texture, scale and shapes to create the outdoor oasis of your dreams.

colour le, texture

When planning your outdoor oasis, consider what styles you're drawn to, how the space will be used, and the overall look and feel you want to achieve. No matter what your goal is, the colours, textures, sizes, shapes, and patterns in our product collections give you the freedom to explore based on your own personal taste. Enjoy, and above all, have fun.

Smooth

An even surface for a continuous effect.

Tumbled

A weathered surface without compromising durability.

One size doesn't always fit all. Sometimes you need to mix the scale of things up to draw attention to a particular feature in your landscape design. Modularity is key: our product sizes and scale were developed for mixing and matching across collections, or within their own.

Embossed

Textures from subtle to dynamic to echo nature itself.

Split

Highly textured for a rough-hewn look.

EXPLORE

Colour your landscape

Grey Tones

Grey tones are considered neutral, often with either warm or cool undertones, and range in all shades from solid black to light grey. Part of a contemporary colour palette, grey tones make an easy backdrop for outdoor décor.



	Dover	Light, neutral grey
	Cloudburst	Subtle blend of light greys
-	Natural	Medium, neutral grey
	Marble Grey	Variegated blend from light grey to black
	Charcoal	Dark grey
	Greystone	Blend of light grey and medium grey
12	Greyfield	Blend of medium grey and dark grey
	Luna	Subtle blend of medium greys
	Twilight	Subtle blend of dark grey and black
	Onvx	Black

Earth Tones


Containing brown, buff, tan and taupe hues, earth tones often have warm undertones. Choose earth tones to create a warm, welcoming environment that compliments colours found in nature.



	Sandstone	Blend of buff and light brown
30	Milano	Blend of light grey, cream, and brown
	Cedar Blend	Blend of dark grey and brownish-orange
14	Mackinaw	Blend of tan, medium brown, and deep brown
1	Sandalwood	Blend of buff, reddish-brown, and dark grey
An I	Chartan	Blend of medium grey and tan
	Sangria	Blend of red, maroon, and black
	Serengeti	Blend of brownish-copper and black

Mixed Tones

A mixture of grey and earth tones, these colours run the full gamut in terms of versatility. Mixed tones can help add depth and texture to your design and are well-complimented by solid-colour accents.



	Silversand	Blend of light buff, medium grey, and dark grey
12536	Desert	Blend of buff and medium grey
The same of the sa	Champagne	Blend of light buff and dark grey with tan accents
1	Wicker	Blend of light grey, tan, taupe, and brown
1 by	Moraine	Blend of light cream, brown and dark grey
A.	Mountain	Blend of medium grey, brown, and dark grey
H	Tweed	Blend of light grey, cream, brown and dark grey
4	Executive	Blend of light buff and dark grey
1	Timberwood	Blend of medium brown and dark grey



consider this!

When choosing colours for your landscape pavers, keep in mind that the lighter the colour, the less forgiving with general stains such as oil, rubber tire marks, bird droppings, red wine/food, fallen leaves, etc. Choose your colours wisely considering the application, and refer to Considerations & Care Information, pg.100/101.

Although we go to great lengths to ensure that the product and colour representations shown in our product guides and on our website are as accurate as possible, there are always variations in printing processes and monitors that will affect the outcome. Colour tones of the delivered product can also vary from the representations, between separately manufactured product sizes, or even between runs of the same product, especially with monochromatic (single solid) colours. This is due to slight variations in the raw materials and the manufacturing process itself, and is not a sign of defective product. Always select from an actual product sample.

Datterns & design.

With our well-coordinated colours and choice of textures, you can boost your project to a whole new level. Our versatile product packaging and scale gives you the freedom to mix and match beautiful options for a look you can truly call your own.



Top/Wall: Modan, Twilight **Bottom/Slab:** Molina, Moraine (body) with Monterey, Onyx 8x16 (border)



Top/Wall: Nueva® 75, Marble Grey Bottom/Slab: Molina, Cloudburst (body) with Rialto, Onyx 8x16 (border)



Top/Wall: Ortana, Sandalwood **Bottom/Slab:** Molina, Moraine & Twilight



Top/Wall: Nueva® 75, Champagne Bottom/Slab: Nueva® Slab, Marble Grey (body) with Nueva® Slab, Champagne (border)



Top/Wall: Castlerok 2, Sandstone Bottom/Paver: Rialto, Champagne (body/outer border) with Rialto, Onyx 8x16 (inset border)



Top/Wall: Castlerok 2, Onyx **Bottom/Paver:** Enviro Midori, Champagne with Rialto, Onyx 8x16 (border)



Top/Wall: Gardenia Linear, Chartan **Bottom/Paver:** Market Paver, Serengeti (body) with Market Paver, Onyx (double border)



Top/Wall: Gardenia Linear, Greystone **Bottom/Paver:** Ridgefield Smooth, Champagne (body) with Ridgefield Smooth, Onyx 8x12 (border)



Top/Wall: Nueva® 150, Champagne **Bottom/Slab:** Nueva® Slab, Champagne (body) with Nueva® Slab, Onyx (soldier)



Top/Wall: Modan, Cloudburst Bottom/Paver: Ridgefield Smooth, Marble Grey (body & outer border) with Ridgefield Plus, Onyx (inset)



Top/Wall: Modan, Champagne Bottom/Paver: Ridgefield Plus, Champagne with Ridgefield Smooth, Onyx 8x12 (inset)



Top/Wall: Nueva 150, Marble Grey **Bottom/Paver:** Eterna, Luna with Twilight (inset)



Nueva® Slab, Marble Grey

Nueva® Slab, Onyx



through your space.

Monterey, Wicker

Monterey, Onyx (8x16)



Oaks Landscape Products | 15



Make a bold statement in large-scale and high-contrast.

Nueva® 75 Wall, Champagne with Nueva, Onyx Coping



Rialto 80mm, Champagne with Nueva Paver, Onyx border

Borders, Banding & Accents

How you define your space can add visual and textural interest, create a focal point or help create a mood.



2 Villanova, Champagne with Onyx double border

Castlerok 2, Greystone with Onyx accent


- 3 Rialto 50mm, Marble Grey with Monterey, Onyx borders
- 4 Rialto 50mm, Champagne with Monterey, Onyx border
- 5 Castlerok 2, Greystone with Onyx accent band Rialto 50mm, Champagne with Monterey, Onyx border
- 6 Modan, Cloudburst with Twilight accents Rialto 50mm, Marble Grey

















Made for moments.


In a world filled with online meetings, online shopping, news, games and everything else, the time we all spend away from our screens is more important than it's ever been. Creating your outdoor retreat should be about what's important to you and how you want to spend your downtime: making moments with family and friends.




























Oaks Landscape Products | 25



















Fabulous Features

Whether your taste calls for water features, bars, outdoor kitchens or fireplaces, our products work together to make your outdoor dreams a reality.































Slabs



Slab: Rialto 50mm, Champagne Coping: Cassina, Onyx

Rialto 50mm (1.97") thickness, with a subtle texture and a palette of earth tones, creamy whites and marbled greys, and manufactured in three sizes, also has a high solar reflectance to meet LEED requirements. That means it won't be as hot underfoot as some darker shades around your pool. Take your design from poolside to curbside by choosing lighter-weight Rialto 50mm for pool decks, patios and walkways, then use Rialto 80mm (3.15") with the strength needed to support vehicles in driveways and parking area.



CHAMPAGNE



Greyfield available in Random Bundle only.



MARBLE GREY



ONYX Onyx available in 8x16 Rectangle Stone size only. Ideal for soldier coursing or banding.

did you know?

The 8x16 Rectangle Stone has a uniquely undulating spacer that flows from the end of one stone to the next? The resulting look brings a continuously flowing design feature to porch soldiers, steps and pool copings!





8x16 Stone Width 200mm (7.87") Length 400mm (15.75")



16x16 Stone Width 400mm (15.75") Length 400mm (15.75")



16x24 Stone Width 400mm (15.75") Length 600mm (23.62")




8x16 Stone Width 200mm (7.87") Length 400mm (15.75") **Individually Packaged** Available in Onyx only



Width 400mm (15.75") Length 600mm (23.62") Individually Packaged



Slab: Rialto 50mm, Marble Grey with Monterey, Onyx border



Slab: Monterey, Tweed with Onyx border

This distinctively coloured 60mm (2.36") architectural slab features a softly-textured surface and uniquely undulating spacers (in the 8x16 size) for use as coping, cap or step. Monterey's clean lines, appealing earth tones and availability in five sizes and three packaging options, make it an ideal choice for creating a relaxed West Coast vibe.



MARBLE GREY



ONYX



TWEED

Onyx available in 8x16 Small Rectangle Stone size only. Ideal for soldier coursing or banding.



8x16 Small Rectangle Stone Width 200mm (7.87") Length 400mm (15.75") **Individually Packaged**



12x24 StoneWidth 300mm (11.81")
Length 600mm (23.62")



16x16 Stone Width 400mm (15.75") Length 400mm (15.75")



24x24 StoneWidth 600mm (23.62")
Length 600mm (23.62")





16x32 Large Rectangle Stone Width 400mm (15.75") Length 800mm (31.50") Individually Packaged

did you know?

The 8x16 Small Rectangle Stone has a uniquely undulating spacer that flows from the end of one stone to the next? The resulting look brings a continuously flowing design feature to porch soldiers, steps and pool copings!

Combo Bundle





Slab: Monterey, Tweed with Onyx border & accent



Slab: Nueva® Slab, Marble Grey with Onyx inset

Delivering a tile-like appearance with its smooth face, clean finish and subtly-chamfered edges, the original Nueva® in this collection is a 60mm (2.36") slab designed for use on walkways, patios and pool decks. Carry the look from poolside to curbside by choosing our 80mm (3.15") Nueva® Pavers, with the strength and durability to support vehicular traffic in driveways and parking areas.



CHAMPAGNE



CLOUDBURST



Greyfield available in Random Bundle only.



MARBLE GREY



ONYX



8x16 Small Rectangle Width 200mm (7.87") Length 400mm (15.75") Individually Packaged Available in Onyx only



8x16 Small Rectangle Width 200mm (7.87") Length 400mm (15.75")



16x16 Stone Width 400 mm (15.75") Length 400mm (15.75")




16x24 StoneWidth 400mm (15.75")
Length 600mm (23.62")

Random Bundle




design idea!

For a contrast in scale, consider pairing Nueva® Slab with Nueva® XL Slab as a border or feature area!



Slab: Nueva® Slab, Champagne with Monterey, Onyx border Pillars/Garaden Edging: Modan, Cloudburst



Slab: Nueva® XL Slab, Marble Grey Coping: Oasis Bullnose, Onyx, Suave

For a truly sleek and modern-looking project, Nueva® XL delivers a tile-like appearance with its smooth face, clean finish and subtly-chamfered edges. As part of the Nueva® collection, this 60mm (2.36") slab was designed with the same alluring features and well coordinated colours to integrate perfectly with all of our Nueva® paver, slab, wall and step systems, to make product choices for your entire landscape project a breeze. Also fully compatible with our other 60mm products such as Molina®, custom design options can give your project an individual flair.









CHAMPAGNE

CLOUDBURST

GREYFIELD

MARBLE GREY





NOTE: When using Nueva Slab with Nueva XL, please understand that colours and tonal consistency between these products may not be exact matches.

ONYX



24x36 Slab Width 600mm (23.62") Length 900mm (35.43")



design idea!

Nueva® XL Slab's scale and depth is perfect for creating a simple, modern pathway or walkway.



Slab: Nueva® XL Slab, Champagne















Slab: Molina® 60mm, Moraine

Perfect for patios and pool decks, the smooth surface, clean edges and reduced joint spacing, Molina® Slab is now manufactured with micro-chamfered edges to reduce chipping during installation. With a 6x12" option for banding and accents, this 60mm (2.36") slab is perfect for walkways and patios, while our 80mm (3.15") Molina® Paver helps you perfectly coordinate your outdoor spaces right through to the driveway.







LUNA **NEW!**



MORAINE



TWILIGHT



12x12 Stone Width 300mm (11.81") Length 300mm (11.81")



12x18 Stone Width 300mm (11.81") Length 450mm (17.72")



12x24 Stone Width 300mm (11.81") Length 600mm (23.62")



6x12 Stone Width 150mm (5.91") Length 300mm (11.81") Individually Packaged



design idea!

Molina pairs well with all of our Nueva® slabs, pavers, walls and steps, as well as Modan wall and Oasis Coping!



Slab: Molina® 60mm, Moraine Walls/Pillars: Ortana, Mountain Wall Caps and Stair Treads: Ortana, Desert





Pavers



Paver: Colonnade, Silversand



The rich look of hand-crafted granite and classic styling give these pavers an old world charm. At 60mm (2.36") thick, Colonnade is suitable for light vehicle and pedestrian traffic, offering complete design flexibility with two small stones packaged in a Combo Bundle, and three separately-packaged larger sizes.



GREYFIELD



SANDALWOOD





TIMBERWOOD



ONYX

Onyx available in 6x9 Stone only. Ideal for soldier coursing or banding.



3x6 Stone Width 75mm (2.95") Length 150mm (5.91")



6x6 Stone Width 150mm (5.91") Length 150mm (5.91")

Combo Bundle



6x9 Stone Width 150mm (5.91") Length 225mm (8.86") Individually Packaged




9x9 Stone Width 225mm (8.86") Length 225mm (8.86") **Individually Packaged**



9x12 Stone Width 225mm (8.86") Length 300mm (11.81") Individually Packaged

Ridgefield Plus [70mm]

See pg. 88/89 for Dormant Products.



Pavers: Ridgefield Plus, Champagne with Ridgefield Smooth, Onyx boder and accents Step: Proterra, Greyfield

Ridgefield Plus features a dynamically textured surface for a look of elegantly hand-chiselled stone, and is a perfect companion for our Ridgefield Smooth option, At 70mm (2.76") thick, this paver is a versatile choice for driveways, patios and walkways. Three modular sizes offers versatile patterning, packaged in one convenient combo bundle.



CHAMPAGNE



EXECUTIVE



Onyx available in 8x12 Stone size only. Ideal for soldier coursing or banding.



8x12 Stone Width 200mm (7.87") Length 300mm (11.81")



12x12 Stone Width 300mm (11.81") Length 300mm (11.81")



12x16 Stone Width 300mm (11.81") Length 400mm (15.75")

Large Combo Bundle



8x12 Stone Width 200mm (7.87") Length 300mm (11.81") Individually Packaged Available in Onyx only





For a beautiful transition between traditional and sleek, modern styling, look no further than Ridgefield Smooth. With a perfectly smooth surface and gently textured edges, this paver looks beautiful on its own or when used in combination with our highly-textured Ridgefield Plus. At 70mm (2.76") thick, this paver is a versatile choice for driveways, patios and walkways. Three modular sizes offers versatile patterning, packaged in one convenient combo bundle.



CHAMPAGNE



GREYFIELD



MARBLE GREY



ONYX

Onyx available in 8x12 Stone size only. Ideal for soldier coursing or banding.



8x12 StoneWidth 200mm (7.87")
Length 300mm (11.81")



12x12 Stone Width 300mm (11.81") Length 300mm (11.81")




12x16 Stone Width 300mm (11.81") Length 400mm (15.75")

arge Combo Bundle




8x12 Stone Width 200mm (7.87") Length 300mm (11.81") Individually Packaged Available in Onyx only

















ONYX

SANGRIA

SERENGETI



4x8Width 100mm (3.94")
Length 200mm (7.87")




design idea!

Combine Market Paver with Villanova or Rialto 80mm for contrasting textures, or as an accent to Nueva® or Molina® 80mm pavers!

Paver: Market Paver, Serengeti & Sangria (blended on site)

A modern take on heritage, this traditionally-styled 4x8 paver delivers a sophisticated appearance and enduring quality stylishly re-engineered for modern design. The richly-blended tones will endure the elements and significant wear-and-tear as we have incorporated both ColorBold™ and EliteFinish™ technologies into their manufacturing process. At 80mm (3.15″) thick, Market Paver is suitable for both vehicular and pedestrian traffic.





Paver: Villanova, Champagne Stone: Vivace, Siena with Charcoal accents

This large-scale 80mm (3.15") thick paver offers a natural stone look with accentuated contours and is suitable for both pedestrian and vehicle traffic. Design flexibility is limitless with Villanova's 3-piece paving system: 8x16, 16x16 and 24x16 sizes. Create an upscale look by using 15 different textures of the 8x16 size in a herringbone pattern, or enhance the scale by adding square and large rectangular units.







MARBLE GREY



ONYX

Onyx available in Rectangle Stone size only. Ideal for soldier coursing or banding.





design idea!

Use Villanova, Rectangle Stone in Onyx as an accent border for striking effects!



Rectangle Stone Width 199mm (7.83") Length 398mm (15.67") Individually Packaged




Square StoneWidth 398mm (15.67")
Length 398mm (15.67")



Large Rectangle Stone Width 398mm (15.67") Length 597mm (23.5")

Combo Bundle



Paver: Enviro Midori, Champagne Clay Brick: Historic Series, Canyon Stone: Vivace, Verona

Combining a fresh, modern finish with drainage capabilities to eliminate surface water runoff, 80mm (3.15") thick Enviro Midori pavers are optimized for mechanical installation, with interlocking spacer bars for enhanced surface stability. Manufactured in 3 modular sizes and packaged together for convenience, these pavers can also be arranged into many different patterns to create unique designs.



CHAMPAGNE



MARBLE GREY



MILANO



5x10 Stone Width 120mm (4.72") Length 240mm (9.45")



10x10 Stone Width 240mm (9.45") Length 240mm (9.45")



10x15 Stone Width 240mm (9.45") Length 360mm (14.17")



design idea!

Combine Enviro Midori with a textured border of a contrasting colour for the ultimate level of curb appeal!

Custom Order Only. Contact your Oaks Dealer or Sales Representative for quantities and lead times.


Nueva® Paver [80mm]





Nueva® Collection

See pg. 88/89 for Dormant Products.



Paver: Nueva® Paver, Marble Grey with Onyx inset Wall: Nueva® 150, Marble Grey Curb: Fronterra, Greystone





CHAMPAGNE



CLOUDBURST **NEW!**





MARBLE GREY



ONYX



design idea!

For a complimentary and seamless design aesthetic, pair Nueva® Paver with Nueva® 150 or 75 Wall, and Nueva® Steps!



8x16 Small Rectangle Width 200mm (7.87") Length 400mm (15.75") Individually Packaged Available in Onyx only



8x16 Small Rectangle Width 200mm (7.87") Length 400mm (15.75")




16x16 Stone Width 400mm (15.75") Length 400mm (15.75")



16x24 Stone Width 400mm (15.75") Length 600mm (23.62")



Paver: Nueva® Paver, Onyx with Marble Grey borders and inset Stone Masonry: Contempo, Dover





Stunning and durable Rialto 80mm (3.15") has the strength needed to support vehicles in driveways and parking areas. With a subtle texture and a palette of earth tones, creamy whites and marbled greys, and manufactured in three sizes, with a high solar reflectance to meet LEED requirements, Rialto offers complete design versatility. Take your design from curbside to poolside by choosing lighter-weight Rialto 50mm (1.97") thickness for walkways, patios and pool decks.



CHAMPAGNE



GREYFIELD



MARBLE GREY



MILANO



ONYX Onyx available in 8x16 Rectangle Stone size only. Ideal for soldier coursing or banding.



design idea!

For a complete outdoor transformation, use Rialto 80mm for vehicular traffic areas like driveways, and lighter weight Rialto 50mm for pools and patios!



8x16 Stone

Width 200mm (7.87")

Length 400mm (15.75")

Individually Packaged

Available in Onyx only

8x16 Stone Width 200mm (7.87") Length 400mm (15.75")



16x16 Stone Width 400mm (15.75") Length 400mm (15.75")



16x24 Stone Width 400mm (15.75") Length 600mm (23.62")

16x24 Stone Width 400mm (15.75") Length 600mm (23.62") Individually Packaged



Paver: Rialto 80mm, Champagne with Villanova, Onyx inset Clay Brick: Crossroads Series, Graystone














CLOUDBURST



LUNA **NEW!**



MORAINE



TWILIGHT



Width 300mm (11.81") Length 300 mm (11.81")



12x18 Stone Width 300mm (11.81") Length 450mm (17.72")



Width 300mm (11.81") Length 600mm (23.62")







6x12 Stone Width 150mm (5.91") Length 300mm (11.81") Individually Packaged



12x24 Stone Width 300mm (11.81") Length 600mm (23.62") Individually Packaged



design idea!

Molina® pairs well with Modan, Nueva® 150 Wall & Nueva® Step

Paver: Molina, Moraine

With its large format, smooth surface, clean edges and reduced joint spacing, Molina® Paver is ideal for creating inviting spaces, and meets wheelchair access specifications. At 80mm (3.15") thick and now manufactured with micro-chamfered edges to reduce chipping during installation, this paver is best suited for light traffic in areas such as driveways or parking areas. The 6x12 Stone and 12x24 Stone units are packaged separately to help you design beautiful patterns and accents to define your space.








Eterna Collection

See pg. 88/89 for Dormant Products.





The most modern and advanced 100mm (3.94") paving system from Oaks. Eterna features our EliteFinish™ technology to deliver aesthetics, performance and durability in a sleek interlocking paving system that meets the demands of urban conditions. Available in modular sizes and individual packaging, Eterna offers a broad palette of core and special order colours, and unlimited patterning options.







CLOUDBURST **NEW!**

LUNA **NEW!**

TWILIGHT **NEW!**


NOTE: When ordering Eterna, try to secure product from a single batch lot to reduce the risk of variability. Colour and tonal consistency between different sizes and batch lots cannot be guaranteed. For more information, see page 100/101.



200x600 Stone Width 200mm (7.87") Length 600mm (23.62") Individually Packaged



400x600 Stone Width 400mm (15.75") Length 600mm (23.62") Individually Packaged




Paver: Eterna, Luna & Cloudburst Stone Masonry: Contempo, Dover Clay Brick: Royal Gray, PRP





Copings, Curbs & Steps

Sometimes, it's the details that make all the difference in a beautiful landscape design, and delineating functional areas within your outdoor living space can be done expertly with perfectly coordinated products. Coping stones perform many important functions in landscape design, ranging from pool deck edging to wall caps or step treads; while specifically designed curb and step products provide one-of-a-kind accents and stability.





Give your landscape project the expert finish you're looking for with the clean, sleek lines of Oasis coping: 60mm (2.36") coping stones. With a standard finish and straight edges, tight-fitting Oasis coping stones are ideal when used as a step tread or wall cap. The true beauty of this large-scale coping stone is revealed when our suave surface finish is applied to expose the aggregates within. Oasis Bullnose, with its suave surface finish puts an elegant finishing touch on seat walls, and around backyard pools.



ONYX



ONYX, SUAVE

Suave finish only available on Bullnose Coping Stones.



Coping Stone Width 610mm (24") Length 360mm (14.125") Individually Packaged




Bullnose Coping Stone Width 610mm (24") Length 360mm (14.125") Individually Packaged



design idea!

Oasis Coping makes a perfect accent band or border for patios and pool decks alongside our 60mm slabs like Molina, Nueva or Nueva XL!



Coping: Cassina, Onyx Slab: Nueva Slab, Marble Grey



ONYX



Cassina Coping Stone Width 203mm (8") Length 305mm (12")



design idea!

Cassina's narrow width makes it an ideal choice for round or curved applications like firepits and curvy-shaped pools!




Offering secure fit and versatility in design, this 70mm (2.76") thick coping stone features a gentle bullnose edge ideal for pool edging, step treads, seat walls and other applications. Cassina can be used in combination with other Oaks 70mm (2.76") and 60mm (2.36") pavers.



Curb: Fronterra, Greystone Paver: Nueva® Paver, Marble Grey with Onyx inset Wall: Nueva® 150, Marble Grey







GREYSTONE




ONYX



Outside Width 372mm (14.6") Inside Width 330mm (13") Height 150mm (5.9") Depth 100mm (3.9")




Circle
15 pieces make a 1.8m (71")
outside diameter circle.



Serpentine
To achieve larger radius
applications, gap the inside
(backside) of the curb unit
accordingly.

With a naturally-textured profile and complimentary colour palette, Fronterra offers an ideal accent for Oaks pavers and walls. Its unique wedge shape adapts to straight and curved applications to enhance any landscape design.











CHAMPAGNE

CLOUDBURST

MARBLE GREY



XYNC



1200mm Step Unit Width 1200mm (47.24") Height 150mm (5.91") Depth 400mm (15.75")

Smooth on all faces and ends.



design idea!

For a completely unified look, choose Nueva® Step as the perfect companion for other Oaks Nueva® products!

Nueva® Step is the next generation of sleek design in a low-profile, modular step system. Designed for elegant transitions between elevations, Nueva® Step is a perfect companion for modern hardscape design. Nueva® Step is modular and compliant with accessibility requirements.





Walls

Our wall products are far more than concrete barbecues, fireplaces and outdoor kitchens - the beauty, functionality, versatility and durability of our high-quality wall products deliver an architectural edge to a wide variety of landscape projects.







MARBLE GREY

ONYX

Onyx available in Coping only.



16" Unit Width 400mm (15.75") Depth 300mm (11.81")



20" Unit Width 500mm (19.69") Height 150mm (5.91") Depth 300mm (11.81")



20" Corner/End Unit Width 500mm (19.69") Height 150mm (5.91") Depth 300mm (11.81")




Width 600mm (23.62") Height 150mm (5.91") Depth 300mm (11.81")




Coping Width 600mm (23.62") Height 75mm (2.95") Depth 340mm (13.38") Packaged with End Coping Units.




End Coping Width 600mm (23.62") Height 75mm (2.95") Depth 340mm (13.38") Packaged with Coping Units.





Combo Bundle Layout by Layer



design idea!


Nueva® 150 Wall pairs well with Nueva® Slab, Rialto, Molina & Nueva® Step.

Wall & Coping: Nueva® 150 Wall, Marble Grey

Today's outdoor design trends call for clean lines, contemporary style and a well-coordinated colour palette. Nueva® 150 Wall was designed with the versatility and strength required to help homeowners and design professionals increase usable space by managing troublesome grade changes, with a sleek profile and doublesided smooth face. With Oaks patented M-Lock technology and hollow cores, Nueva® 150 Wall allows for the use of stabilized backfill for the ultimate stability in the most challenging and true vertical applications.



Wall & Coping: Nueva® 150 Wall, Marble Grey Slab: Nueva® Slab, Marble Grey with Onyx border



Wall: Nueva® 75, Champagne Coping: Oasis Bullnose, Onyx, Suave Curb: Fronterra, Onyx

If you're looking for a smooth, linear, ashlar wall block, our Nueva® 75 Wall system may be just what you need. Accent banding and beautiful coordination with the other same, rich colours as Nueva® 150 is possible with Nueva® 75's Onyx colour. Packaging this product in three lengths as a single SKU helps to keep both the ordering process and jobsite management more efficient.



CHAMPAGNE



MARBLE GREY



Available in Combo Bundle and Coping.



16" Unit Width 400mm (15.75") Height 75mm (2.95") Depth 300mm (11.81")



20" Unit Width 500mm (19.69") Height 75mm (2.95") Depth 300mm (11.81")



20" Corner/End Unit Width 500mm (19.69") Height 75mm (2.95") Depth 300mm (11.81")



24" Unit Width 600mm (23.62") Height 75mm (2.95") Depth 300mm (11.81")




Coping Width 600mm (23.62") Height 75mm (2.95") Depth 340mm (13.38") Packaged with End Coping Units.



Height 75mm (2.95") Depth 340mm (13.38") Packaged with Coping Units.






Combo Bundle Layout by Layer




design idea!

Nueva® 75 Wall pairs well with Nueva® Slab, Rialto, Molina & Nueva® Step.



Wall: Nueva® 75, Champagne with Oasis, Coping

Pavers: Main body - Rialto 80mm, Champagne; Insets - Market Paver, Serengeti border, Molina, Cloudburst 12x24



Wall: Modan, Champagne with Oasis, Onyx caps

With a striking smooth surface, faintly beveled edges and a palette of subtly-blended colours, the sleek Modan wall system is the perfect choice for contemporary outdoor designs. The four linear-proportioned wall blocks are packaged together as a combo bundle, while the Linear Unit is also packaged separately making it ideal to use as accent banding, pillars, or as an independent system.







CLOUDBURST



MARBLE GREY



TWILIGHT



660 UnitWidth 660mm (25.98")
Height 110mm (4.33")
Depth 220mm (8.66")



550 Unit Width 550mm (21.65") Height 110mm (4.33") Depth 220mm (8.66")



440 UnitWidth 440mm (17.32")
Height 110mm (4.33")
Depth 220mm (8.66")



330 UnitWidth 330mm (12.99")
Height 110mm (4.33")
Depth 220mm (8.66")



Linear Unit Width 440mm (17.32") Height 110mm (4.33") Depth 220mm (8.66") Individually Packaged

*Concrete adhesive is required between rows for optimum stability.



design idea!

The smooth, linear look of Modan wall compliments our Nueva® Slabs and Pavers perfectly!



Walls: Modan, Marble Grey with Twilight accents Wall Cap & Step Tread: Oasis, Onyx Slab: Nueva Slab, Marble Grey



Wall: Castlerok 2, Chartan











CHARTAN

GREYSTONE

ONYX

SANDSTONE



Standard Unit Width 305mm (12") Height 102mm (4") Depth 203mm (8")

*Concrete adhesive is required between rows for optimum stability.



design idea!

Versatile and efficient – Castlerok 2 can be used as a feature wall, planter, pillar, BBQ/Kitchen surrounds or curbs!




Less is more with this one-block system featuring a weathered look and an embossed surface. An efficient and cost-effective option for pillars, planters, BBQ's, fireplaces and other applications, Castlerok 2 is easy to install in both linear and random pattern designs where both faces are visible.




Pillar: Castlerok 2, Greystone with Onyx accent Slab: Rialto 50mm, Champagne with Monterey, Onyx border

Ortana Legacy Collection



Wall: Ortana, Greyfield









DESERT

ONYX



SANDALWOOD





Standard Unit Width 200mm (7.87") Height 150mm (5.91") Depth 300mm (11.81") **Individually Packaged**



Front Width 200mm (7.87") Back Width 150mm (5.91") Height 150mm (5.91") Depth 300mm (11.81") Individually Packaged



90° Corner Unit Width 300mm (11.81") Height 150mm (5.91") Depth 200mm (7.87") Individually Packaged

Note: For right and left corner info., consult the Ortana product sheet available on our website.




2' Split-Face Coping Unit Width 610mm (24.02") Height 75mm (2.95") Depth 300mm (11.81")
Individually Packaged

Defined by its rugged elegance, this product is available in a broad array of interesting colour blends and textures. Ortana adds a charming quality to single and double-sided walls, driveway borders, steps and embankments. Its exclusive split-tongue design and hand notches allow for vertical or set-back installations, saving time and costs. Use 90° corner units to easily create matching pillars.



design idea!

Consider capping your walls in Onyx for a dramatic contrast!



Wall/Pillar: Ortana, Mountain Wall Caps: Ortana, Desert Slab: Molina 60mm, Moraine with Twilight border



Wall: Gardenia Linear, Greystone Paver: Market Paver, Sangria & Serengeti









GREYSTONE



SANDSTONE



Linear Unit Width 600mm (23.62") Height 150mm (5.91") Depth 200mm (7.87") **Individually Packaged**



90° Corner Unit Width 300mm (11.81") Height 150mm (5.91") Depth 200mm (7.87") Individually Packaged

Note: For right and left corner info., consult the Gardenia product sheet available on our website.



did you know?

Oaks Gardenia Linear can also be used as a curb or border to help outline and define your hardscape features.



This rugged, yet contemporary stone wall block in subtle earth tones offers good looks and superior functionality in straight wall applications. Gardenia Linear can be split to form perfectly matching corner units.

Modeco One



Wall: Modeco One, Chartan





GREYSTONE






SANDSTONE

ONYX




Standard Unit Outside Width 184mm (7.25") Inside Width 140mm (5.50") Height 89mm (3.50") Depth 184mm (7.25") Individually Packaged

*Concrete adhesive is required between rows for optimum stability.



Tree Ring 26 pieces make a 1.5m (60") outside diameter circle.

Modern convenience and vintage style come together with rough-hewn, appealing and lightweight Modeco One blocks, pre-split on both sides for simple installations of garden walls, tree surrounds and edging.





Available as two complete texture offerings: smooth and split!

For projects that demand a complete retaining wall system, Oaks Proterra™ wall featuring M-Lock technology delivers a stable structure, even in true vertical installations. This engineered wall incorporates reversible split/ smooth texture surfaces (with false joints on the smooth surfaces) to allow for added patterning and multiple design options. Built-in cutting guides for 1/2 blocks and 45° corners are included. The coping-step unit is stocked in colours as an attractive, stand-alone system.



GREYFIELD, SMOOTH



NATURAL, SMOOTH

Legacy Collection







NATURAL, SPLIT



TIMBERWOOD, SPLIT



design idea!

Create an inset staircase using Proterra Wall & Coping-Step Units! See diagram on page 86.



Proterra[™] sizes

SMOOTH SIZES



Standard Unit Width 1000mm (39.37") Height 185mm (7.28") Depth 375mm (14.76") Smooth on both faces Individually Packaged



Double Unit Width 1000mm (39.37") Height 185mm (7.28") Depth 750mm (29.52") Split on one face, smooth on one face Packaged with similar Standard Unit



Triple Unit Width 1000mm (39.37") Height 185mm (7.28") Depth 1125mm (44.29") Smooth on both faces Individually Packaged



Coping Corner/End Unit Width 1000mm (39.37") Height 185mm (7.28") Depth 430mm (16.92") Smooth on both faces and closed end Individually Packaged



Standard Corner Unit Width 1000mm (39.37") Height 185mm (7.28") Depth 375mm (14.76") Smooth on both faces and closed end Individually Packaged



Coping-Step Unit Width 1000mm (39.37") Height 185mm (7.28") Depth 430mm (16.92") Smooth on both faces Individually Packaged

SPLIT SIZES



Standard Unit
Width 1000mm (39.37")
Height 185mm (7.28")
Depth 375mm (14.76")
Two units split on one face,
smooth on one face
One unit split on both faces
Individually Packaged



Double Unit Width 1000mm (39.37") Height 185mm (7.28") Depth 750mm (29.52") Split on one face, smooth on one face Packaged with similar Standard Unit



Coping Corner/End Unit Width 875mm (34.44") Height 185mm (7.28") Depth 430mm (16.92") Split on front face and closed end Individually Packaged




Standard Corner Unit Width 875mm (34.44") Height 185mm (7.28") Depth 375mm (14.76") Split on front face and closed end Individually Packaged



Coping-Step Unit Width 1000mm (39.37") Height 185mm (7.28") Depth 430mm (16.92") Split on one face, smooth on one face Individually Packaged



Smooth Coping and Wall (Coping centres over wall)



Coping and Wall (Coping overhangs one side)


Note 1: Coloured wall units also available as custom order. Minimum quantities apply.

Note 2: For right and left corner info., consult the Proterra product sheet available on our website.

Inset staircase using Proterra[™] wall & coping-step units

Plan View Extend the side walls to match extent of final staircase Granular Fill Side walls of staircase

Elevation View





Dormant Products

Long before we print our product guides for each fresh, new landscaping season, we gaze intently into our crystal ball and try to envision what the coming year will bring. Of course, much of that is built on our past successes with you, and as we all know, the last several months have been very challenging times for all of us. Covid-19 has affected our lives both personally and professionally with necessary safety restrictions to follow.

This year, we have implemented a Dormant Products strategy in order to meet the needs of our customers for the most in-demand products and colours. Within the main products section of this product guide, we've displayed our active colours that will be available on a regular basis throughout the season. Here within our Dormant Products section, you will find a full listing of products and colours that are temporarily gone, but certainly not forgotten.

We are hopeful that stability returns to our industry, supply chain, and life in general soon. When it does, we will re-evaluate demand for these products and look at bringing them back into regular rotation.

Rialto [50mm]









16x24

Currently unavailable in the following sizes:

MACKINAW

Currently unavailable in the following sizes:

MILANO

Currently unavailable in the following sizes:

Random Bundle, 16x24 Random Bundle, 16x24

Monterey [60mm]







MARBLE GREY

Currently unavailable in the following sizes:

8x16 Small Rectangle

TWEED

Currently unavailable in the following sizes:

Currently unavailable in the following sizes:

WICKER

8x16 Small Rectangle 8x16

8x16 Small Rectangle, Random Bundle, 16x32 Large Rectangle

Nueva Slab [60mm]



8x16 Small Rectangle Width 200mm (7.87") Length 400mm (15.75") Individually Packaged

Currently unavailable in Champagne, Cloudburst, Greyfield, Marble Grey

Ridgefield Plus [70mm]



CEDAR BLEND

Currently unavailable in the following sizes:

Large Combo Bundle

Villanova [80mm]



MACKINAW

Currently unavailable in the following sizes:

Rectangle, Combo Bundle

Nueva Paver [80mm]



8x16 Small Rectangle Width 200mm (7.87") Length 400mm (15.75") **Individually Packaged**

Currently unavailable in Champagne, Cloudburst, Greyfield & Marble Grey

Rialto [80mm]



GREYFIELD

Currently unavailable in the following sizes:

16x24



MACKINAW

Currently unavailable in the following sizes:

Random Bundle, 16x24



MILANO

Currently unavailable in the following sizes:

Random Bundle, 16x24

Aria Step










CHAMPAGNE

Currently unavailable



GREYFIELD

Currently unavailable

Eterna [100mm]



100x300 Stone Width 100mm (3.94") Length 300mm (11.81")

Currently unavailable in all colours.



100x400 Stone Width 100mm (3.94") Length 400mm (15.75")

Currently unavailable in all colours.

Oasis & Oasis Bullnose



DOVER **Currently**

unavailable



DOVER, SUAVE

Currently unavailable

Cassina



DOVER

Currently unavailable





Planning your project.

Your outdoor space is your canvas. With an impressive variety of colours, textures, shapes and patterns designed to work together in a myriad of design combinations, Oaks landscape products give you all the tools you need to inspire your project and start planning something spectacular. The creative process can be daunting. We can help!

Product Matrix


Slabs								Recom	mended Us	е				Tech	nology Featu	ıres
SLABS	Product	Collection	Thickness	Rooftop Terrace	Pool Deck	Patio	Walkway	Driveway	Parking Lots	Residential Roads	Main Streets	Emergency Routes	Industrial Areas	Permeable	EliteFinish	ColorBold
	8x16 Stone	Rialto	50mm	•	•	•	•									
Rialto 50mm	16x24 Stone	Rialto	50mm	•	•	•	•									
	Random Bundle	Rialto	50mm	•	•	•	•									
	8x16 Small Rectangle	Rialto	60mm		•	•	•									
Monterey	Combo Bundle	Rialto	60mm		•	•	•									
	16x32 Large Rectangle	Rialto	60mm		•	•	•									
	8x16 Small Rectangle	Nueva	60mm		•	•	•									
Nueva® Slab	Random Bundle	Nueva	60mm		•	•	•									
Nueva® XL Slab	24x36 Slab	Nueva	60mm		•	•	•									
	6x12 Stone	Eterna	60mm		•	•	•								•	•
Molina® 60mm	Combo Bundle	Eterna	60mm		•	•	•								•	•
Pavers								Recom	mended Us	е				Tech	nology Featu	ıres
PAVERS	Product	Collection	Thickness	Rooftop Terrace	Pool Deck	Patio	Walkway	Driveway	Parking Lots	Residential Roads	Main Streets	Emergency Routes	Industrial Areas	Permeable	EliteFinish	ColorBold
	Combo Bundle	Legacy	60mm		•	•	•	•								
Colonnade	6x9 Stone	Legacy	60mm		•	•	•	•								
Colonnade	9x9 Stone	Legacy	60mm		•	•	•	•								
	9x12 Stone	Legacy	60mm		•	•	•	•								
Ridgefield Plus	8x12 Stone	Rialto	70mm		•	•	•	•								
	Large Combo	Rialto	70mm		•	•	•	•								
Ridgefield Smooth	8x12 Stone	Nueva	70mm		•	•	•	•								
	Large Combo	Nueva	70mm		•	•	•	•								
Market Paver	4x8	Eterna	80mm			•	•	•	•	•	•	•	•		•	•
Villanova	Combo Bundle	Rialto	80mm			•	•	•								
	Rectangle Stone	Rialto	80mm			•	•	•								
Enviro Midori	Random Bundle	Nueva	80mm			•	•	•				•		•		
Nueva® Paver	8x16 Small Rectangle	Nueva	80mm			•	•	•								
	Random Bundle	Nueva	80mm			•	•	•								
Diales OC	8x16 Stone	Rialto	80mm			•	•	•								
Rialto 80mm	16x24 Rectangle	Rialto	80mm			•	•	•								
	Random Bundle	Rialto	80mm			•	•	•								
Molina® 80mm	6x12 Stone Combo Bundle	Eterna	80mm			•	•	•	•			•			•	•
IVIUIIIIa · 8UMM	12x24 Stone	Eterna	80mm			•	•	•							•	•
	12x24 Stone 100x300 Stone	Eterna Eterna	80mm 100mm			•	•	•					•		•	•
	100x400 Stone		100mm					•	•	•	•	•	•		•	
Eterna	200x600 Stone	Eterna Eterna	100mm					•	•			•			•	
	400x600 Stone		100mm					•	•			•			•	
	400X000 Stolle	Eterna	100111111					•	•			•			•	

Product Matrix

Walls			Recomm	ended For	Funct	ional Featu	ires			W	all Type/Alig	nment & Ins	tallation				Add	ditional	Uses
Walls	Product	Collection	Garden Wall	Retaining Wall	Double- sided	Built-in Interlock	Cored	Straight Wall	Curved Wall	Free- standing	Single- Depth Gravity	Multi- Depth Gravity	Stabilized Backfill	Geogrid Reinforced	Machine Install	Curb	Pillar	Tree Ring	Feature*
Nueva® 150	Combo Bundle	Nueva		•	•	•	•	•		•	•		•	•					•
Nueva® 75	Combo Bundle	Nueva	•		•	•		•		•	•								•
Mandan	Combo Bundle	Nueva	•					•			•					•			•
Modan	Linear Unit	Nueva	•					•			•					•	•		•
Castlerok 2	Standard Unit	Legacy	•		•			•		•	•					•	•		•
0.	Standard Unit	Legacy	•	•	•	•		•		•	•		•	•			(Corner Unit)		•
Ortana	Tapered Unit	Legacy	•	•		•			•		•		•	•					•
Gardenia Linear	Linear Unit	Legacy	•			•		•			•					•			
	Standard Unit	Nueva		•	•	•		•		•	•	•	•	•	•				
Proterra™ Smooth	Double Unit	Nueva		•		•		•		•	•	•	•	•	•				
	Triple Unit	Nueva		•		•		•		•	•	•	•	•	•				
Proterra™	Standard Unit	Legacy		•		•		•		•	•	•	•	•	•				
Split	Double Unit	Legacy		•		•		•		•	•	•	•	•	•				
Modeco One	Standard Unit	Legacy	•		•			•	•	•	•							•	


*Feature = Fire pit/fire table, water feature, outdoor kitchen

Rialto [50 & 80mm]




Pattern A - L-shape

20% (8x16) 40% (16x16) 40% (16x24)



Pattern B - L-shape

20% (8x16) 40% (16x16) 40% (16x24)




Pattern C - Running Bond

20% (8x16) 40% (16x16) 40% (16x24)

INSTALLATION NOTES


- 50mm & 60mm Slab products are recommended for use in pedestrian applications only (e.g. patios, walkways, pool sides) and are not suitable for any vehicular traffic. Improper use is not covered by warranty. The use of a paver roller compactor is recommended to avoid damage. If using a vibrating plate compactor, a protective pad (e.g. Urethane) must be used between the pavers and compactor. Damage to the pavers caused by improper compaction is not covered by warranty.
- The pavement surface should be clean before using a compactor.

Monterey [60mm]




Pattern A 40% (16x16) 30% (12x24)


30% (24x24)



Pattern G 32% (16x16) 24% (12x24) 24% (24x24) 21% (8x16)



Pattern H 32% (16x16) 24% (12x24) 24% (24x24) 21% (16x32)




Pattern I 47% (8x16) 53% (16x32)


Nueva® Slab & Paver [60 & 80mm]




Pattern A - L-Shape 20% (8x16) 40% (16x16) 40% (16x24)



Pattern B - L-Shape 20% (8x16) 40% (16x16) 40% (16x24)



Pattern C - Running Bond 20% (8x16) 40% (16x16) 40% (16x24)




Pattern D - Running Bond 100% (8x16)




Pattern E - Herringbone 100% (8x16)

Laying Patterns


Nueva® XL Slab [60mm]




Pattern A - Stack Bond 100% (24x36)




Pattern B - Half Running Bond 100% (24x36)



Pattern C - Third Running Bond 100% (24x36)




Pattern D - Herringbone 100% (24x36)




Pattern F - Staggered Running Bond 100% (24x36)

Molina [60 & 80mm]




Pattern A - Running Bond 25% (12x12) 25% (12x18)


50% (12x24)



Pattern B - L-shape 25% (12x12) 25% (12x18) 50% (12x24)



Pattern C - L-shape 14.4% (6x12) 21.4% (12x12) 21.4% (12x18) 42.8% (12x24)




Pattern D - Patchwork 33.2% (6x12) 16.7% (12x12) 16.7% (12x18) 33.4% (12x24)


INSTALLATION NOTES

- 50mm & 60mm Slab products are recommended for use in pedestrian applications only (e.g. patios, walkways, pool sides) and are not suitable for any vehicular traffic. Improper use is not covered by warranty. The use of a paver roller compactor is recommended to avoid damage. If using a vibrating plate compactor, a protective pad (e.g. Urethane) must be used between the pavers and compactor. Damage to the pavers caused by improper compaction is not covered by warranty.
- •The pavement surface should be clean before using a compactor.


Colonnade [60mm]



Pattern C 27% (6x9) 20% (9x9) 53% (9x12)




Pattern G 8% (3x6) 42% (6x6) 50% (6x9)



4% (3x6) 21% (6x6) 39% (6x9) 10% (9x9) 26% (9x12)

Ridgefield Plus & Ridgefield Smooth [70mm]




Pattern B - Cluster

22% (8x12) 33% (12x12) 45% (12x16)




Pattern E - Cluster

22% (8x12) 33% (12x12) 45% (12x16)



Pattern G -Running Bond


22% (8x12) 33% (12x12) 45% (12x16)



Pattern I - Pseudo Herringbone


22% (8x12) 33% (12x12) 45% (12x16)

Market Paver [80mm]




Pattern A - Herringbone

100% (4x8)



Pattern B - Running Bond

100% (4x8)




Pattern C - Parquet

100% (4x8)

INSTALLATION NOTES


- 50mm & 60mm Slab products are recommended for use in pedestrian applications only (e.g. patios, walkways, pool sides) and not suitable for any vehicular traffic. Improper use is not covered by warranty. The use of a paver roller compactor is recommended to avoid damage. When using a vibrating plate tamper on pavers 60mm or thicker, a protective pad (e.g. Urethane) must be used between the pavers and compactor. Damage to the pavers caused by improper compaction is not covered by warranty
- •The pavement surface should be clean before using a compactor.

Villanova [80mm]




Pattern A - Cluster

43% (Large Rectangle) 29% (Square) 28% (Small Rectangle)




Pattern B - Cluster

50% (Large Rectangle) 33% (Square) 17% (Small Rectangle)



Pattern C - L-shape

55% (Large Rectangle) 36% (Square) 9% (Small Rectangle)



Pattern F - Running Bond

50% (Large Rectangle) 33% (Square) 17% (Small Rectangle)


Laying Patterns

Additional patterns and PAT files for AUTOCad users are available in the RESOURCES library of our new website. See page 100/101/107.


Eterna [100mm]



Pattern G - Herringbone 100% (100x400)




Pattern M - Running Bond 33.3% (100x300) 33.3% (100x400)



Pattern O - L-shape 20% (100x300)

33.3% (100x300) 33.3% (100x400) 33.3% (200x600)






Pattern R - Cascade 100% (100x400)



Pattern V - Running Bond

20% (100x300) 20% (100x400) 20% (200x600) 40% (400x600)



Pattern X - Random

14% (100x300) 19% (100x400) 29% (200x600) 38% (400x600)

Note: Patterns G and R can also be created with other Eterna sizes.

INSTALLATION NOTES

- 50mm & 60mm Slab products are recommended for use in pedestrian applications only (e.g. patios, walkways, pool sides) and not suitable for any vehicular traffic. Improper use is not covered by warranty. The use of a paver roller compactor is recommended to avoid damage. When using a vibrating plate tamper on pavers 60mm or thicker, a protective pad (e.g. Urethane) must be used between the pavers and compactor. Damage to the pavers caused by improper compaction is not covered by warranty.
- •The pavement surface should be clean before using a compactor.



The only polymeric sand you need.

10NESAND polymeric sand is a specially formulated, high-performance mix of calibrated sands, polymers, and binding agents designed to fill and firmly bind paver joints. 1OneSand's superior performance and durability is ideal for all newly installed pavers or slabs, as well as paver joint replacement on existing walkways, patios or even sloped driveways. 1OneSand remains stable and just flexible enough, maintaining its durability and flexibility in the most extreme weather conditions.

Features:

- · Fast, easy setting
- Prevents weed growth & ant hills
- Suitable for joints up to 4" (100mm) wide
- Long lasting formula
- Free of dyes or pigments
- Will not stain pavers



Available in 4 colours! 50lb (22.7kg) bag | 63 bags/skid



Absolute





Canvas Beige

Absolute Black

Granite Grey

Urban White


Building Walls

When planning your project, there are a few things to consider about your landscape...

Is there a steep slope? Do you need tiered walls? Does your plan include angles or curves? Whether it's a low garden wall or an expansive tiered and curved retaining structure, Oaks has a wide range of wall products in a variety of attractive colours to help you get the job done. Here are a few wall designs and basic construction methods to help you get started.


ROUND CORNERS

To achieve larger radius applications on Single-Sided walls, gap the inside (backside) of the wall modules accordingly.




90° CORNERS

Alternate the direction of your 90° Corner Units for optimum stability. Glue each unit to the previous for additional security.



CURVES

Serpentine curves can be achieved with some products by alternating the tapered units.





did you know?

Wall Installation Guides are available online! Visit the **RESOURCE** section of our website for helpful tools to complete your project!



Round firepit using Ortana and Cassina coping



Curved wall using Modeco One



90° Corner using Gardenia Linear units

Freestanding & Retaining Wall Capabilities


This chart provides general construction limits based on a typical planter bed behind the wall. Reference the available Estimating Guides (Nueva, Ortana & Proterra) for higher retaining walls, where there is any sort of load (slope, fence, traffic) behind the wall, or where any other special conditions exist. Design support is recommended when there is a pedestrian guard required [area behind the wall is accessible and the wall height exceeds 600mm (23.6")] and/or a building permit is required [wall height exceeds 1,000mm (39.4")].

WALL BLOCK TYPE	Design (See options below)	Max. Wall Under Ide	Height al Conditions ¹	Adhesive Required ²	Setback Angle	Min. Out	side Radius
		Inches	Millimetres		Degrees	Inches	Millimetres
Castlerok 2	Vertical	20.1	510	yes	0	n/a	n/a
Gardenia Linear	Setback	24	600	no	5	n/a	n/a
Modan	Vertical	21.7	550	yes	0	n/a	n/a
Modeco One	Vertical	17.5	445	yes	0	30.25	768
Nueva® 150 Wall	Vertical	20.7	525	no	0	n/a	n/a
	Setback	20.7	525	no	3.5	n/a	n/a
Nueva® 75 Wall	Vertical	20.7	525	no	0	n/a	n/a
	Setback	20.7	525	no	3.5	n/a	n/a
Ortana	Vertical	20.7	525	no	0	48	1219
	Setback	26.6	675	no	7	48	1219
Proterra™	Vertical	21.9	555	no	0	n/a	n/a
	Setback	36.4	925	no	8	n/a	n/a

Notes1: Maximum height includes the buried portion of the wall and the coping unit (where applicable)

Notes2: Concrete adhesive is required as there is no form of interlock between units.

Vertical Option



Choosing a Contractor



You are about to invest in a long-lasting concrete landscape project. Like any construction project, the quality of the finished product is highly dependent on the quality of the contractor doing the work.

Recommended Contractor Qualifications:

- Member of ICPI and/or Landscape Ontario
- ICPI Certified Concrete Paver Installer or ICPI Accredited Paver Installer Company
- Project references (recommend installation experience of a minimum of 10,000 square feet)
- 2 year installation warranty
- Verify insurance and applicable licenses
- Adhere to the installation guidelines recommended by ICPI

To find a certified installer visit: www.icpi.org





Our Guarantee

OAKS LANDSCAPE PRODUCTS LIFETIME WARRANTY

Oaks Landscape Products are manufactured to the highest quality standards in a tightly controlled, fully monitored production environment. Oaks Landscape Products warrants the original property owner that the concrete product is free from material defects. Material found to be defective will be replaced without cost. Colour matching cannot be guaranteed and replacement labour is not included. This assurance of quality is applicable where concrete products produced by Oaks Landscape Products are installed on the site and is subject to use under normal conditions.

LIMITATIONS & EXCLUSIONS

This Warranty does not apply to damage, deterioration or colour change to the concrete products resulting from:

- 1. Installation of product inconsistent with the Interlocking Concrete Paving Institute (ICPI) or National Concrete Masonry Association (NCMA) guidelines intended for either residential or commercial use applications.
- 2. Breakage caused from transportation, handling, site design, overloading, impact or base/subgrade settlement.
- 3. Surface discolouration caused by staining, efflorescence, improper sealing, pollution, poor drainage or abrasion.
- 4. Fading from normal weathering.
- 5. Use of de-icing chemicals other than sodium chloride.



Considerations & Care Information

PRODUCT CHOICES

When it comes to the overall look and feel of your outdoor living space, there are a few simple things to keep in mind to make sure your project complements the architectural features of your home and will meet your final expectations:

- 1. Scale Mark off the perimeter of your project using a garden hose or rope, place some of the desired furnishings, and then walk around the area to make sure there is enough room for people to move around comfortably. Then choose products with a scale that works within the available space.
- 2. Colour Colours can range from warm to cool, earth tones to neutrals. Using different coloured borders or bands can add a touch of elegance, or define "rooms" within the outdoor space. Lighter colours also increase safety around pools as they don't absorb as much heat in the summer months – this saves your bare feet from potential burns.
- **3. Texture** Textures not only create a more natural-looking product, but can also reduce the risk of slips.
- 4. Planting Beds Smartly placed low garden or planter walls will contribute to a warm, welcome and cozy feeling, and can provide extra seating.
- 5. Slope Perhaps you have an idea for your outdoor retreat, but the terrain does not work. Consider using one of our retaining wall products to create more usable space (see pages 85-101 for more information).
- 6. Think Green Permeable pavements can help deal with storm water around your home, and allows water to return to the native ground.

PREPARATION IS KEY

Site preparation is the key to ensuring the long-term success of your project. When excavating the area, provide proper grading that allows any water to drain away. Then compact the native soil subgrade as this is the foundation upon which your entire project rests. The thickness of the granular aggregate layer should be properly designed based on the expected loads (people versus cars), and the aggregates need to be properly compacted into place. For pavers, the final preparation step before laying your pavers is the spreading and leveling of bedding sand to help lock your project in place.

The ICPI (Interlocking Concrete Pavement Institute) and NCMA (National Concrete Masonry Association) have published several best practice and knowledge documents to assist and guide you through the entire design and installation process. You can find everything you need by visiting www.icpi.org and www.ncma.org.

100

LAYOUT THE DELIVERED PRODUCT

Although we go to great lengths to ensure that the product and colour representations shown in our product guides and on our website are as accurate as possible, there are always variations in printing processes and monitors that will affect the outcome. Colour tones of the delivered product can also vary from the representations, between separately manufactured product sizes, or even between runs of the same product, especially with monochromatic (single solid) colours; this is due to slight variations in the raw materials and the manufacturing process itself, and is not a sign of defective product. That is why we recommend you lay out a small sample area of the various products delivered to site to make sure you are satisfied with the overall appearance. If you notice a problem or discrepancy, notify us immediately and do not continue with the project. Installation of the product is understood as acceptance of the product's colour and condition.

THE RIGHT TOOLS FOR THE JOB

There are a number of tools on the market that help move, place and compact our pavers and wall blocks into place. Vacuum lifters and clamps can be used to help maneuver the product around, saving time and backs. Roller tampers, rather than traditional plate tampers, reduce the risk of chipping and breakage of larger pavers and slabs. For more information, talk with your local Oaks sales representative.

EFFLORESCENCE

Efflorescence is a powdery, white residue that can form on the surface of concrete products. Although aesthetically unappealing, it occurs naturally and is not an indication of poor product quality. Caused by a combination of naturally occurring salts and moisture, most efflorescence (or efflo) will wear off with time, or can be removed easily by dry-brushing and flushing with clean water. For more stubborn situations, commercial cleaners are available. Always follow the manufacturers' directions carefully as improper use of these solvents can damage the paver surface. For more information, visit **www.icpi.org**.

PROTECTING YOUR INVESTMENT

Select Oaks products made with ColorBold^M, which helps maintain the colour of the product and protects them from certain stains. A wide variety of after-market sealers are available in varying finishes, for additional protection.

Although most Oaks products are designed to be low maintenance, there are a number of preventative maintenance steps that can ensure that your project keeps its pristine appearance. Regularly check to see if the pavers are moving either outward (called creep) or settling. Creep indicates failure of the edge restraints, while settlement indicates issues with the base or native foundation. Clean stains as soon as they occur so they do not set; different methods of cleaning are outlined in Tech Specs from both ICPI and NCMA. Weeds occur when dirt and seeds blow in from the surrounding area and germinate in the joints; remove the weeds and dirt, and refill the areas with polymeric jointing material to prevent a re-occurrence. Last, but not least, avoid using de-icing chemicals other than traditional rock salt; specialty products that claim to be concrete safe quite often are not, and can cause permanent damage.

MAINTENANCE

5 paver tips!

1 Keep the pavers clean

Like all pavements, concrete pavers will look worn when they get dirty and stained. Grab a broom and sweep the dirt and debris off of your paving stones regularly. Don't let leaves or other debris sit, especially when it is about to rain, as the decomposing material can stain the paver surface. Any stains that do occur should be treated as soon as possible. The longer they remain on the surface, the deeper they penetrate and the harder they are to remove. Water and dish soap, with a little elbow grease, can remove many stains, and specialty cleaners are available for more stubborn stains such as motor oil.

2 Removing weeds

Weeds can germinate between pavers from windblown seeds lodged in the joints. Weeds can be removed by hand or with herbicides. If using a herbicide, take care not the spray onto adjacent vegetated areas, and use biodegradable products. If weed growth is an ongoing issue, consider refilling the joints with a polymeric material intended to prevent weed growth.

(3) Apply a paver sealer

You can help keep your paving stones looking new by applying a sealer, which not only helps enhance the paver's colour, but also slows the penetration of stains and prevent dirt from lodging in the surface. Sealers should only be applied on clean, dry pavers; applying a sealer to a wet paver can result in water blushing below the sealer (the sealer turns milky white) which is difficult to remove. Different sealers will create a glossy or matte finish, so make sure you pick the right one.

(4) Use of manufacturer approved de-icing chemicals

Rule #1 - Only use as much de-icing material on concrete pavers as needed to do the job. Rule #2 - only use rock salt (sodium chloride) as this is the least damaging to concrete materials. Using magnesium chloride, calcium magnesium acetate (CMA) or other fancy branded de-icing chemicals can cause significant damage to the pavement.

(5) Replace damaged pavers

If one or more of your patio pavers is damaged or becomes too badly stained, you can replace them without having to replace everything around it. Replacing paving stones can be done in only a couple of hours to restore that brand-new look. It is a good idea to keep a few extra pavers around from the original installation for this eventuality.

Following these simple rules will help keep your pavement looking good for many years.



Slabs & Pavers	Bundle Specifications	Per Section Specifications

RIALTO 50mm		Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
8x16		10	129.2	98.4 (soldier) 196.8 (sailor)	150	3025	Layer †	12.9	9.8 (soldier) 19.7 (sailor)	15	303
8x16 16x16 16x24	Random	10	129.2	98.4 (sailor)	30 30 20	3063	Layer†	12.9	9.8 (sailor)	3 3 2	306
16x24		10	129.2	65.6 (soldier) 98.4 (sailor)	50	3076	Layer †	12.9	6.6 (soldier) 9.8 (sailor)	5	308
MONTEREY 60	mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
8x16 Small Rec	tangle	10	103.4	78.7 (soldier) 157.4 (sailor)	120	2912	Layer †	10.3	7.9 (soldier) 15.7 (sailor)	12	292
16x16 12x24 24x24	Random	8	103.4	-	24 (16x16) 16 (12x24) 8 (24x24)	2958	Layer †	12.9	-	3 2 1	370
16x32 Large Re	ectangle	10	103.4	39.4 (soldier) 78.7 (sailor)	30	2963	Layer †	10.3	3.9 (soldier) 7.8 (sailor)	3	296
NUEVA® SLAB	60mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
8x16 Small Rec	tangle	8	103.4	78.7 (soldier) 157.4 (sailor)	120	2912	Layer †	12.9	9.8 (soldier) 19.7 (sailor)	15	364
8x16 16x16 16x24	Random	8	103.4	78.7 (sailor)	24 (8x16) 24 (16x16) 16 (16x24)	2940	Layer†	12.9	9.8 (sailor)	3 (8x16) 3 (16x16) 2 (16x24)	368
NUEVA® XL SLA	B 60mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
24x36		10	116.25	39.4 (soldier) 59 (sailor)	20	3200	Layer †	11.6	3.9 (soldier) 5.9 (sailor)	2	320
MOLINA® 60mm	n	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
12x12 12x18 12x24	Combo	8	93	94.5 (sailor)	24 16 24	2790	Layer†	11.6	11.8 (sailor)	3 2 3	349
6x12		8	93	94.5 (soldier) 189 (sailor)	192	2740	Layer †	11.6	11.8 (soldier) 23.6 (sailor)	24	343
COLONNADE 6	i0mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
3x6 6x6	Combo	9	104	35 - (3x6) 177 - (6x6)	144 - (3x6) 360 - (6x6)	2925	8	13	4.4 (3x6) 22 (6x6)	18 - (3x6) 45 - (6x6)	366
6x9		9	105	141.7 (soldier)	288	2826	8	13.1	17.7 (soldier)	36	353
9x9		9	98	132.9 (soldier)	180	2750	5	19.6	26.6 (soldier)	36	550
9x12		9	104	106.3 (soldier)	144	2936	4	26	26.6 (soldier)	36	734
RIDGEFIELD PL	LUS 70mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
8x12		8	104	105 (soldier) 157.5 (sailor)	160	3340	4	26	26.2 (soldier) 39.4 (sailor)	40	836
8x12 12x12 12x16	Lg. Combo	8	93	94.5**	32 each	3004	4	23.3	23.6**	8 each	751
RIDGEFIELD S	MOOTH 70mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
8x12		8	104	105 (soldier) 157.5 (sailor)	160	3340	Layer †	13	13.1 (soldier) 19.7 (sailor)	20	418
				. ,							

† Packaged with mesh between layers

Pavers			Bundle Specification	S			F	Per Section Specifica	tions	
MARKET PAVER 80mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
4x8	6	69.8	106.3 (soldier) 212.6 (sailor)	324	2684	Layer †	11.6	17.7 (soldier) 35.4 (sailor)	54	447
VILLANOVA 80mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
LIMITED AVAILABILITY Rectangle	6	76.5	58.8 (soldier) 117.5 (sailor)	90	2856	3	25.5	19.6 (soldier) 39.2 (sailor)	30	952
LIMITED AVAILABILITY Large Rectangle Combo	6	76.5	58.8 (sailor)	18 18	2898	3	25.5	19.6 (sailor)	6 6	966
Square	Lavore	Ca Et	Lin. Ft.		Wainht	Sections	Car Et	lin Fe	Diococ	Waight
RIALTO 80mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
3x16 16x16 Random 16x24	6	77.5	59.1 (sailor)	18 18 12	2930	Layer †	12.9	9.8 (sailor)	3 3 2	488
8x16	6	77.5	59 (soldier) 118.2 (sailor)	90	2902	Layer †	12.92	9.8 (soldier) 19.7 (sailor)	15	484
16x24	6	77.5	59.1 (sailor) 39.4 (soldier)	30	2930	Layer †	12.9	9.8 (sailor) 6.6 (soldier)	5	488
ENVIRO MIDORI 80mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
CUSTOM ORDER ONLY										
5x10				60					10	
10x10 Random	6	74.4	94.5 (sailor)	54	2675	Layer	12.4	15.7 (sailor)	9	446
10x15				24					4	
MOLINA® 80mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
12x12				18					3	
12x18 Combo	6	69.8	70.8 (sailor)	12	2720	Layer †	11.6	11.8 (sailor)	2	453
12x24				18					3	
6x12	6	69.8	70.8 (soldier) 141.7 (sailor)	144	2689	Layer †	11.6	11.8 (soldier) 23.6 (sailor)	24	448
12x24	6	69.8	35.4 (soldier) 70.8 (sailor)	36	2778	Layer †	11.6	5.9 (soldier) 11.8 (sailor)	6	463
NUEVA® PAVER 80mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
8x16 Small Rectangle	6	77.5	59 (soldier) 118.2 (sailor)	90	2902	Layer †	12.9	9.8 (soldier) 19.7 (sailor)	15	484
8x16 16x16 Random	6	77.5	59 (sailor)	18 (8x16) 18 (16x16) 12 (16x24)	2930	Layer†	12.9	9.8 (sailor)	3 (8x16) 3 (16x16) 2 (16x24)	488
ETERNA 100mm	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
100x300 DORMANT	6	64	65 (soldier) 194.9 (sailor)	198	2979	Layer †	10.7	10.8 (soldier) 32.5 (sailor)	33	497
100x400 DORMANT	6	57	43.3 (soldier) 173.2 (sailor)	132	2684	Layer †	9.5	7.2 (soldier) 28.9 (sailor)	22	447
200x600	6	62	31.5 (soldier) 94.5 (sailor)	48	2889	Layer †	10.3	5.3 (soldier) 15.8 (sailor)	8	481
100x600	5	64.6	32.8 (soldier) 49.2 (sailor)	25	3012	Layer †	12.9	6.6 (soldier) 9.8 (sailor)	5	602

Curbs & Steps	Bundle Specifications	Per Section Specifications
---------------	-----------------------	----------------------------

CURBS & STEPS	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	Weight/Piece
Fronterra Curb	4	-	125.1	108	2948	Layer	-	31.3	27	737	27.3
Nueva® Step	1	7.8 (face) 20.6 (top)	15.7	4	1440	-	-	-	-	-	360
Aria Step DORMANT	1	8.5 (face) 20.6 (top)	15.75	4	1600	No sections	available for Aria	Step			400

Copings Bundle Specifications Per Section Specifications

COPINGS	Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	Weight/Piece
Cassina Coping Stone	2	52	52	78	1716	3	17.3	17.3	26	572	22
Oasis Standard Coping	9	85	72	36	2448	Layer	9.5	8	4	272	68
Oasis Bullnose Coping	10	71	60	30	2040	Layer	7.1	6	3	201	67

NUIEVA® 150 WALL	Lavors	Sa Et	Lin Et	Diocos	Woight	Sections	Sa Et	Lin Et	Diocos	۱۸/
Walls			Bundle Speci	fications				Per Section	n Specifications	5

NUEVA® 150 WALL		Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	Weight/Piece
16" Unit 20" Unit 20" Corner/End Unit 24" Unit	Combo	4	26	52.5	8 8 8	3200	Layer	6.5	13.1	2 2 2 2	800	76 90 110 124
Coping Unit Coping End Unit		8	11.6	47.2	16 8	1872	Layer	1.5	5.9	2 1	234	78 78
NUEVA® 75 WALL		Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	Weight/Piece
16" Unit 20" Unit 20" Corner/End Unit 24" Unit	Combo	6	19.5	78	12 12 12 12	2589	Layer	3.3	13	2 2 2 2	432	43 54 54 65
Coping Unit Coping End Unit		8	11.6	47.2	16 8	1872	Layer	1.5	5.9	2 1	234	78 78
MODAN		Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	Weight/Piece
330 Unit 440 Unit 550 Unit 660 Unit	Combo	3	28.1	78	12 12 12 12	2884	Layer	9.4	26	4 4 4 4	961	40 53 67 80
Linear Unit		3	25 (wall) 37.5 (column)	69.3	48	2544	Layer	8.3 (wall) 12.5 (column)	23	16	848	53
CASTLEROK 2		Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	Weight/Piece
Standard Unit		6	32	96	96	2976	Layer	5.33	16	16	496	31
ORTANA		Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	Weight/Piece
Standard Unit		3	19.4	39.4	60	2760	4	4.9	9.9	15	690	46
Tapered Unit		3	19.4	39.4	60	2400	No sections a	available for tapere	d units			40
90° Corner Unit		4	19.4	39.4	24	1128	No sections a	available for corner	units			47
2'Coping Unit		6	11.8	48	24	1680	2	5.9	24	12	840	70

Weights/Piece are approximate.

6

6

24.6

12

17.1

Sq. Ft.

27.9 (straight)

31.7 (outside)

24.1 (inside)

3

3

3

3

6

Layers

9.8

9.8

40.6

19.6

28.1

Lin. Ft.

95.7 (straight)

82.7 (inside)

108.7 (outside)

3

9

6

6

Pieces

180

Bundle Specifications

Walls

Double

Triple Unit

Standard Corner Unit

Coping Corner/End Unit

Coping-Step Unit

MODECO ONE

Standard Unit

GARDENIA LINEAR		Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	Weight/Piece
Linear Unit		4	15.5	31.5	16	1424	No sections a	available for Garc	lenia Linear		,	89
90° Corner Unit		4	25.8	52.5	32	1440	No sections a	available for corn	er units			45
PROTERRA™ (SPLIT)		Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	Weight/Piece
Standard Unit		3	18	29.5	9	3150	Layer	6	9.8	3	1050	350
Standard	mbo	3	6	9.8	3	2150	Lavian	2	3.3	1	1050	350
Double	IIDO	3	6	9.8	3	3150	Layer	2	3.3	1	1050	700
Standard Corner Unit		3	22.4	36.9	9	2772	Layer	7.4	12.3	3	924	308
Coping-Step Unit		3	12	19.6	6	2388	Layer	4	6.5	2	796	398
Coping Corner/End Ur	nit	3	15.6	25.7	6	2088	Layer	5.2	8.6	2	696	348
PROTERRA™ (SMOOTH)		Layers	Sq. Ft.	Lin. Ft.	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	Weight/Piece
Standard Unit		3	18	29.5	9	3150	Layer	6	9.8	3	1050	350
Standard		3	6	9.8	3	2150	Lavor	2	3.3	1	1050	350
Double	mbo	3	6	0.0	2	3150	Layer	2	2.2	1	1050	700

3150

3150

2388

2400

2520

Weight

Layer

Layer

Layer

Layer

Layer

Sections

Weights/Piece are approximate.

700

1050

350

398

400

14

Weight/Piece

1050

1050

796

800

420

Weight

Per Section Specifications

3.3

3.3

13.5

6.5

9.4

Lin. Ft.

16 (straight)

18 (outside)

13.8 (inside)

3

2

2

30

Pieces

2

8.2

4

5.7

Sq. Ft.

4.7 (straight)

5.3 (outside)

4 (inside)


HARDSCAPE + MASONRY

online experience

You'll find all of our products categorized online just like they are in this product guide, with product pages designed to include white space for readability. Click on any colour swatch to reveal specific details about features, availability and sizes. Visit our project gallery, online resource library, project visualizer or dealer locator for help that goes far beyond the product pages.

As the hardscape member of the Brampton Brick Limited family of brands, our curated collections span both masonry and hardscape products, so coordinating your colours and finishes just got a little easier.

Visit us at OAKSpavers.com today!





Masonry *Products*



MASONRY PRODUCT GUIDE

ONE TRUSTED SOURCE.

Brampton Brick has forged a reputation as an integrated masonry and hardscape products manufacturer. To be a single source for quality, durability and long-lasting style, we focus on developing products that work well together.


It's the trust our customers place in us that keeps us focused on our goal; to lead the way in innovation, affordability and lifetime satisfaction. We are devoted to engineering masonry and landscaping materials that stimulate an instant response. When you see homes, driveways, backyard living spaces, commercial buildings or beautifully landscaped public spaces; you see Brampton Brick products.

Visit our website to view our Masonry Products or to download the Product Guide!

Architectural *Hardscape Products*

Oaks Landscape Products have gained the reputation of innovation and versatility in the industrial, commercial and institutional (ICI) market. Our commitment to being supplier of choice drives the development and manufacturing of a wide variety of ICI products to meet all your structural and aesthetic design requirements.

Visit our website to view our ICI hardscape products or to download our Designer Resource Guide!



DESIGNER RESOURCE GUIDE







Distributed by/Authorized Dealer:

OAKSpavers.com

CA - 1.800.709.OAKS (6257) **US** - 1.800.876.OAKS (6257)

Brampton

225 Wanless Drive Brampton, ON L7A 1E9

Boisbriand

4200, Marcel-Lacasse Boisbriand, QC J7H 1N3

Brockville

3007 County Rd. #29 PO Box 141, Brockville, ON K6V 5V2

Cambridge

1038 Rife Road Kitchener, ON N2A 4A5

Hillsdale

2108 Flos Road Four East Hillsdale, ON LOL 1V0

Markham

455 Rodick Road Markham, ON L6G 1B2

Detroit

51744 Pontiac Trail Wixom, MI 48393

Farmersburg

1256 East County Rd. 950 N. Farmersburg, IN 47850

